

As of 7/1/2022

St. Clair County COVID-19 Data Update

Current CDC Community Level	Medium
Current MDHHS COVID-19 Response Phase	Recovery (Post-Surge)

In communities like ours with a **Medium** COVID-19 Community Level, the CDC recommends:

- Stay [up to date](#) with COVID-19 vaccines and boosters
- [Get tested](#) if you have symptoms
- Wear a mask if you have symptoms, a positive test, or exposure to someone with COVID-19
- Wear a mask on [public transportation](#)
- Maintain improved ventilation throughout indoor spaces when possible
- Follow CDC recommendations for isolation and quarantine
- If you are immunocompromised or [high risk](#) for severe disease
 - Have a plan for rapid testing if needed (e.g. having home tests or access to testing)
 - Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, PrEP, and monoclonal antibodies

At all Community Levels, people can wear a mask based on personal preference, informed by personal level of risk. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask.

St. Clair County COVID-19 Data

COVID-19 Statistics for St. Clair County			
Data Points	Date	Result	Trend
COVID-19 Cases (referred in prior 7 days)	7/1/2022	158	↔
COVID-19 Deaths (reported in prior 7 days)		2	

Data obtained from MDSS. Includes confirmed and probable cases. Based on referral date to the SCCHD.

Data Points	Date	Result	Trend
New COVID-19 Cases per 100,000 Residents (7-day avg.)	6/21/2022 – 6/27/2022	94.3	↓
Test Positivity		18.3%	↔
Completed COVID-19 Vaccine Series	6/21/2022	43.2%	
Initiated COVID-19 Vaccine Series		52.7%	

Data obtained from mihstartmap.info


Data Points	Date	Result	Trend
New Hospital Admissions of Confirmed COVID-19 Patients per 100,000 Residents (last 7 days)	6/28/2022	10	↑
% Staffed Inpatient Beds in use by Patients with Confirmed COVID-19 (last 7 days)		2.2%	↔
% Staffed ICU Beds in use by Patients with Confirmed COVID-19 (last 7 days)		5.8%	↑

Data obtained from [CDC.gov](https://www.cdc.gov)

Data in this report is provisional.

CDC Community Levels Nationally and Statewide

Data for maps below was calculated on 6/30/2022



● Low ● Medium ● High ○ No Data

Data in this report is provisional.

Ongoing response to COVID-19 cycle



Response (Surge)

A surge means rapid response by local and state public health.

- Increased supplies for testing, masking and medications.
- Increased masking, testing and social distancing efforts.

Readiness (Pre-Surge)


A surge is expected due to a new variant, local outbreak, seasonal changes.

Expect increased illness severity and overwhelmed hospital capacity.

- Educate public regarding new risks.
- Ensure enough supplies of tests, masks and medications.



Visit Michigan.gov/Coronavirus for current COVID-19 information.




Recovery (Post-Surge)


Expect to remain in this phase for longer periods as COVID-19 evolves.

Monitor conditions that may lead to surges, such as a new variant.

- Encourage vaccines to decrease COVID-19 risks.
- Strengthen community support with local stakeholders.
- Empower community members to make best choices for individual situations.



Make a COVID-19 Plan



Visit Michigan.gov/Coronavirus for current COVID-19 information.



Make a plan for vaccination or learn if you are eligible for boosters.

- Ages 5 and older can get vaccinated.
- Ages 12 and older can get the booster.
- Ages 50 and older, or 12 and older and moderately to severely immunocompromised, can schedule a second booster.



Learn more about vaccines and whether you're up to date at Michigan.gov/COVIDVaccine.



Keep a supply of well-fitting masks.

Masks are helpful tools to reduce COVID-19 transmission, especially if:

- You are unwell or test positive for COVID-19.
- You have been exposed to someone with COVID-19.
- You are concerned about the risk of transmission in a particular setting. Respect that others may have a risk different than yours.



Learn more about masking at Michigan.gov/MaskUp.



Keep a supply of over-the-counter COVID-19 tests.

- Tests are useful for early detection of COVID-19, especially if:
- You have symptoms of or have been exposed to COVID-19.
 - You are traveling or will be attending a large or unmasked gathering. Test before and after attending large events.



Over-the-counter tests are available at libraries and schools through MIbackpack, also through federal distribution programs. Learn more about COVID-19 testing at Michigan.gov/COVIDTest.



Learn if you are eligible for COVID-19 therapeutics.

- Talk to a primary care provider about whether you are eligible for preventative antibodies or for COVID-19 antiviral treatment if you become infected.



Learn more about COVID-19 therapeutics at Michigan.gov/COVIDTherapy.